

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 240 828 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
18.09.2002 Bulletin 2002/38

(51) Int Cl.7: **A23C 20/00, A23L 1/0524**

(21) Application number: **02075323.2**

(22) Date of filing: **25.01.2002**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Latza, Stefan**
74072 Hellbronn (DE)

(74) Representative: **Wurfbain, Gilles L. et al**
Unilever N.V.,
Patent Division,
P.O. Box 137
3130 AC Vlaardingen (NL)

(30) Priority: **14.03.2001 DE 10112252**

(71) Applicant: **UNILEVER N.V.**
3013 AL Rotterdam (NL)

(54) **Consumable, viscoelastic, stringy composition, process for its production and dry product for use in the process**

(57) Composition that draws strings (e.g. like melted cheese), and process for preparing it. Composition is freeze-dried, and rehydratable. Composition comprises cheese imitation (e.g. known Mozzarella imitation), pectin, swellable material (not being potato powder),

soluble Calcium salt. Product is suitable for e.g. cheese fillings (e.g. deep fried products), gratin toppings, pizza toppings, snacks, etcetera.

EP 1 240 828 A1

Description

[0001] The present invention relates to a composition in the form of a consumable, viscoelastic, stringy composition or in the form of a dry product which can be reconstituted by mixing with water to form such a consumable, viscoelastic, stringy composition, a process for its production and, in particular, a dry product which after stirring with a liquid can be used to produce such a composition. In particular the invention relates to an imitation cheese which can be produced from such a dry product by rehydration and is a viscoelastic composition which has, like cheese (e.g. when molten), a stringy (strand-forming) structure.

[0002] A known commercial product consists of about 42% by weight of dried potato granules and 55% by weight of pulverized natural dried cheese. Minor components which can be present are, in addition, spices, salt and pepper. The product is prepared by mixing the product with crème fraîche and/or boiling water, swelling for two minutes and heating for two minutes with kneading stirring. The product is further kneaded for a short time without heating. This produces a coherent, viscoelastic composition which has a texture from which broad strands or strings can be pulled (like chewing gum).

[0003] This product is to date the sole dried product on the market made of cheese powder and a further quantitatively important swellable admixture (in this case potato granules) which still has the stringy property after rehydration. This property is originally linked with the potato raw material.

[0004] Potato granules are relatively expensive and, in addition, are not taste-neutral, but have a somewhat strong inherent taste. In addition, the known commercial product comprises a significant amount of natural cheese. There was therefore a requirement for a product made of cheaper raw materials, which is taste-neutral, and is universally usable, not only as an imitation cheese, for producing a viscoelastic, stringy composition. In this case the properties typical of cheese, as displayed by, for example, mozzarella or provolone, or typical cheese fondue mixtures, which customarily consist of Swiss cheese, that is to say stringiness in the heated molten state, should be retained.

[0005] According to the invention it has surprisingly been found that pectin, with addition of calcium ions together with a mixture of an imitation cheese and a swellable particulate carrier, can be processed to form a dry product which, after stirring with a liquid and heat treatment, forms a viscoelastic composition having the stringy property (strand formation).

[0006] In its most general form, the present invention therefore comprises a dry product which, after stirring with a liquid and heat treatment, forms a consumable, viscoelastic, stringy composition comprising

product,

- c) 8-58 parts by weight of a swellable carrier, excluding potato powder, and
- d) 0.1-10 parts by weight of a soluble calcium salt having delayed calcium ion release.

[0007] Preferably, as component a) a comminuted, dried commercially conventional imitation cheese, in particular imitation mozzarella, is used.

[0008] Dried imitation cheeses are known and are commercially available. Cheese analogues which are able to melt at the same temperature as natural cheese are termed imitation cheese. Imitation cheeses are usually produced from edible caseinates, vegetable fat, water and other customary additives, such as natural or synthetic flavourings, salts (sodium chloride and other salts), acids, colourings, emulsifiers, stabilizers and preservatives (EP 0363 741 and US patents cited therein).

[0009] Imitation cheeses are termed "dried" when they have an a_w value of from 0.01 to 0.90, advantageously from 0.10 to 0.65, and, in particular, from 0.20 to 0.30. "Comminution" is taken to mean, for example, slicing, grinding, chopping, grating and cutting.

[0010] A commercially conventional, grated, dried imitation mozzarella consists of vegetable fat, caseinate, native starch and other additives; customarily such an imitation cheese comprises 28-33% protein, 38-43% fat and 10-12% starch. Generally, imitation cheeses, as used according to the invention as starting material, consist of an oil-in-water emulsion, the water phase being to a greater or lesser extent firmly gelled, that is to say fixed, by casein.

[0011] Preferably, a dried, commercially conventional imitation cheese is used. Imitation cheeses used according to the invention generally have a degree of drying corresponding to a water activity (ratio between the vapour pressure of the water-containing medium and that of pure water) $a_w = 0.01-0.80$.

[0012] A further essential constituent of the inventive dry product is a swellable, particulate carrier, potato products being excluded, however.

[0013] The swellable carrier can be, for example, cereal semolina, cereal middlings, cornflour or polenta. Such raw materials are not only cheaper than potato base materials, but, furthermore, have considerably better, that is to say more neutral, flavour and taste properties.

[0014] A further important constituent of the inventive dry product is pectin.

[0015] It is known that pectin can also be used as thickener and emulsion stabilizer in the production of cheese or cheese-containing preparations.

[0016] EP 645 966 describes an edible plastic dispersion based on rapidly gelling starch consisting of at least two condensed phases, the one phase consisting of a gel-forming starch and the other phase consisting of a gelling agent selected from gelatin, carrageenan, alginate, pectin, carob bean gum, xanthan gum, guar

- a) 40-90 parts by weight of a dried imitation cheese,
- b) 1-20 parts by weight of pectin or a pectin-rich

gum and others. EP 574 973 describes the production of edible dispersions from at least two gellating agents which form separate phases, in which case the gellating agents used can also be biopolymers, for example pectins. EP 543 973 discloses the production of a fat-free natural cheese, for example an imitation mozzarella, from a milk solid substrate, co-using a gum, for example xanthan gum, guaran, agar, carrageenan, carab bean gum, tragacanth, pectin or carboxymethyl cellulose.

[0017] The use of pectin as stabilizer in the production of an imitation cheese is disclosed in US 5807601. EP 384 816 describes the production of a cheese-containing drink using pectin as stabilizer. FR 2622772 describes the use of pectin in the production of processed cheese.

[0018] Pectins which are suitable for use in the present invention are low-esterified or high-esterified polygalacturonic acids and/or polygalacturonic acid-rich natural products, such as apple powder, dried apple pieces or banana powder. Usually, the polygalacturonic acids are α -1,4-linked and esterified with methanol.

[0019] The development of the viscoelastic composition is considerably enhanced by addition of a soluble calcium salt, for example calcium gluconate, calcium lactate, calcium acetate, CaCl_2 or calcium citrate. The calcium salt is either added last after heating and rehydration, or a calcium salt having delayed calcium release (sequestrant) is used, with this also being able to be, for example, coated calcium lactate or tricalcium citrate.

[0020] A typical dry product according to the present invention consists of

- a) 45-80% by weight of dried imitation cheese,
- b) 1-6% by weight of pectin,
- c) 15-50% by weight of swellable carrier and
- d) 1-8% by weight of calcium salt.

[0021] A preferred dry product consists of

- a) 50-55% by weight of dried imitation mozzarella,
- b) 2-4% by weight of pectin,
- c) 35-45% by weight of wheat semolina or wheat middlings and
- d) 2-4% by weight of calcium lactate.

[0022] The invention also relates to a process for producing the inventive viscoelastic composition. According to this process

- a) 40-90 parts by weight of a dried imitation cheese,
 - b) 1-20 parts by weight of pectin or a pectin-rich product and
 - c) 8-58 parts by weight of a swellable carrier, excluding potato powder,
- are stirred into 1.5 to 3 times the amount of water and heated vigorously with stirring until the rehy-

drating imitation cheese begins to melt, whereupon this composition is allowed to react with

d) 0.1-10 parts by weight of a soluble calcium salt and the resultant composition is kept at a reduced heat until the desired viscoelastic structure is obtained.

[0023] If rapidly available Ca ions were immediately added, the pectin would no longer dissolve sufficiently, but already begin to form lumps, in particular in the case of low-esterified pectin. When a readily available Ca source is used, the Ca salt should therefore not be allowed to act until after the rehydration and melting of the imitation cheese.

[0024] The first heating step is generally carried out at a temperature of 60-100°C, preferably 70-90°C, for 1-4 minutes, preferably 1-3 minutes. After initial heating to this temperature, at which the imitation cheese begins to melt, the reaction can be continued at a lower temperature, for example 40-80°C, in particular 60-75°C, for 2-6 minutes. An excessive heating period must be avoided, since the product then loses its optimum viscosity properties again.

[0025] The amount of water into which the solid components are stirred is not critical. It is generally 1.5 to 3 times the solid components, preferably 1.8 to 2.4 times.

[0026] According to the invention a consumable, viscoelastic, stringy composition can be produced which has general use, not only as imitation cheese. Also when an imitation cheese is used a product can be obtained which corresponds in odour and taste properties to a natural cheese product; when an appropriate imitation cheese is used, it is possible to produce neutral compositions which exhibit a comparable mouthfeel and melt behaviour to natural cheese.

[0027] The viscoelastic structure having the stringy property occurs in particular in a temperature range of 57-76°C, with optimum expression between 60°C and 73°C.

[0028] On reheating the composition becomes viscoelastic again (thermal reversibility) with reformation of the stringy property. Therefore, during the reheating, temperatures higher than 85-90°C are preferably avoided.

The invention thus also relates to the consumable, viscoelastic, stringy composition which can be produced by the inventive process and consists of 1 part by weight of a solid fraction consisting of

- a) 40-90 parts by weight (based on dry mass) of an imitation cheese,
- b) 1-20 parts by weight of pectin or a pectin-rich product,
- c) 8-58 parts by weight of a swellable carrier, excluding potato powder
- d) 0.1-10 parts by weight of a soluble calcium salt

and 1.5 to 3 parts by weight of water.

[0029] The invention enables the further extension of an imitation cheese, this product being not only cholesterol-free and nutritionally balanced, but also still cheaper. It is suitable preferably as, or for producing, cheese purée free of potato raw material, for deep-fried products (for example cheese croquettes), cheese fillings, gratin toppings, pizza toppings or coatings.

[0030] The inventive consumable, viscoelastic, stringy composition can be stored and traded as such, but it can also be dried, preferably freeze-dried, to give a more readily handleable dry powder which can be reconstituted by mixing with water to give the viscoelastic, stringy composition. Although the reconstitution proceeds only slowly, it can be promoted by careful heating and stirring with kneading.

Examples

Example 1

[0031] 50 g of wheat semolina, 66 g of dried imitation mozzarella ($a_w = 0.65$, rice-grain-sized shreds), 4 g of HV pectin (Green Ribbon, pure, Obipektin), are stirred into 250 ml of mains water using a whisk. It is heated with stirring using a wooden spoon on a gas flame with strong heat. Firstly swelling and thickening proceed (after appropriate 2 min) and the rehydrating cheese granules begin to melt. 4 g of calcium lactate are added and the flame is reduced to low to moderate heat. Using the stirring spoon, the composition is stirred and kneaded for approximately 3 min until an increasing plastification and clumping together proceeds to give the desired viscoelastic, stringy (strand-forming) structure.

Example 2

[0032] 50 g of wheat *middlings*, 60 g of dried imitation mozzarella *powder* (ground, redried to $a_w = 0.30$, particle size < 1 mm), 4 g of NV pectin (Purple Ribbon, pure, Obipektin), 4 g of calcium chloride are added and treated as in Example 1. The desired viscoelastic, stringy (strand-forming) structure is also formed.

Example 3

[0033] 50 g of corn starch, 70 g of dried imitation mozzarella (redried to $a_w = 0.30$, rice-grain-sized shreds), 4 g of HV pectin (Green Ribbon, pure, Obipektin), 4 g of tricalcium citrate, are used and treated as in Example 1. The desired viscoelastic, stringy (strand-forming) structure is also formed.

Example 4

[0034] 50 g of wheat middlings, 60 g of dried imitation mozzarella powder (ground, redried to $a_w = 0.30$, particle size < 1 mm), 4 g of NV pectin (Purple Ribbon, pure, Obipektin), 4 g of calcium lactate are used and treated

as in Example 1. The desired viscoelastic, stringy (strand-forming) composition is also formed.

[0035] This composition was then spread on a metal sheet, frozen at -40°C , and freeze-dried overnight (approximately 16 h) under a high vacuum (< 0.1 bar) at 40°C hotplate temperature. The material dried in the form of a sheet was then pulverized in a laboratory mixer (Rotor) to give a dry powder.

[0036] 110 g of the powder thus produced were stirred into 250 ml of cold water using a whisk in a pot. The resultant initially noncoherent paste was then carefully heated with kneading stirring using a wooden spoon (avoiding burn-on). After some minutes the viscoelastic, stringy composition is formed again.

Claims

1. Consumable, viscoelastic, stringy composition of 1 part by weight of a solid fraction consisting of:

- a) 40-90 parts by weight (based on dry matter) of a imitation cheese,
- b) 1-20 parts by weight of pectin or a pectin-rich product,
- c) 8-58 parts by weight of a swellable carrier, excluding potato powder, and
- d) 0.1-10 parts by weight of a soluble calcium salt and 1.5 to 3 parts by weight of water.

2. Process for producing a consumable, viscoelastic, stringy composition, **characterized in that**

- a) 40-90 parts by weight of a dried imitation cheese,
- b) 1-20 parts by weight of pectin or a pectin-rich product and
- c) 8-58 parts by weight of a swellable carrier, excluding potato powder,
- are stirred into 1.5 to 3 times the amount of water and heated vigorously with stirring until the rehydrating imitation cheese begins to melt, this composition is then reacted with
- d) 0.1-10 parts by weight of a soluble calcium salt
- and the resultant composition is kept at reduced heat until the viscoelastic structure is obtained.

3. Process according to Claim 2, **characterized in that**, in the first stage, the composition is heated to $60-100^\circ\text{C}$ and, after reaction with the calcium salt, is heated in the second stage to $40-80^\circ\text{C}$.

4. Dry product for use in the process according to Claim 2 or 3, comprising:

- a) 40-90 parts by weight of a dried imitation

cheese,

b) 1-20 parts by weight of pectin or a pectin-rich product,

c) 8-58 parts by weight of a swellable carrier, excluding potato powder, and 5

d) 0.1-10 parts by weight of a soluble calcium salt having delayed calcium ion release.

5. Dry product according to Claim 4, **characterized in that**, as component a), it comprises a commercial imitation mozzarella. 10

6. Dry product according to Claim 4 or 5, **characterized in that**, as pectin component b) it comprises low-esterified or high-esterified polygalacturonic acid and/or polygalacturonic acid-rich natural products. 15

7. Dry product according to one of Claims 4-6, **characterized in that**, as calcium salt, it comprises calcium gluconate, calcium lactate, calcium acetate, calcium chloride or calcium citrate. 20

8. Dry product according to one of Claims 4-7, **characterized in that**, as swellable carrier, it comprises cereal semolina, cereal middlings, cornflour or polenta. 25

9. Dry product according to one of Claims 4-8, **characterized in that** it consists of 30

a) 45-80% by weight of dried imitation cheese,

b) 1-6% by weight of pectin,

c) 15-50% by weight of swellable carrier and

d) 1-8% by weight of calcium salt. 35

10. Dry product according to one of Claims 4-9, **characterized in that** it consists of

a) 50-55% by weight of dried imitation mozzarella, 40

b) 2-4% by weight of pectin,

c) 35-45% by weight of wheat semolina or wheat middlings and

d) 2-4% by weight of calcium lactate. 45

11. Dry powder which can be reconstituted by mixing with water to give the viscoelastic, stringy composition according to Claim 1, which can be produced by drying, preferably freeze-drying, and pulverizing a composition according to Claim 1. 50

55



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 07 5323

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Y	EP 0 635 215 A (AMERICAN MAIZE PROD CO) 25 January 1995 (1995-01-25) * page 2, line 46-49; claims 1,2,4,7-10,12-15,17-20; examples 1,2 * * page 4, line 16-19 *	1-11	A23C20/00 A23L1/0524
Y	EISENBRAND G; SCHREIER P (ED.): "Römp Lexikon Lebensmittelchemie" 1995, GEORG THIEME VERLAG, STUTTGART NEW YORK XP002201912 * page 634, left-hand column - page 635, left-hand column *	1-11	
A,D	US 5 807 601 A (FINNIE KEVIN J ET AL) 15 September 1998 (1998-09-15) * the whole document *	1-11	
A,D	US 5 338 560 A (MORRISON ANTHONY ET AL) 16 August 1994 (1994-08-16) * the whole document *	1-11	
A,D	EP 0 574 973 A (UNILEVER PLC ;UNILEVER NV (NL)) 22 December 1993 (1993-12-22) * the whole document *	1-11	TECHNICAL FIELDS SEARCHED (Int.Cl.7) A23C A23L
A,D	EP 0 384 816 A (GERVAIS DANONE CO) 29 August 1990 (1990-08-29) * the whole document *	1-11	
The present search report has been drawn up for all claims			
Place of search MUNICH		Date of completion of the search 12 June 2002	Examiner Heirbaut, M
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03.92 (P4/C1)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 07 5323

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

12-06-2002

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0635215	A	25-01-1995	AU 665310 B2	21-12-1995
			AU 6341394 A	01-12-1994
			CA 2124405 A1	29-11-1994
			EP 0635215 A1	25-01-1995
			US 5486375 A	23-01-1996
US 5807601	A	15-09-1998	NONE	
US 5338560	A	16-08-1994	US 5279844 A	18-01-1994
			AT 158143 T	15-10-1997
			AU 682664 B2	16-10-1997
			AU 4295893 A	04-01-1994
			CA 2138157 A1	23-12-1993
			CZ 9403196 A3	13-09-1995
			DE 69314027 D1	23-10-1997
			DE 69314027 T2	26-02-1998
			DK 645966 T3	14-04-1998
			WO 9325084 A1	23-12-1993
			EP 0645966 A1	05-04-1995
			HU 75830 A2	28-05-1997
			PL 302401 A1	25-07-1994
			SK 154994 A3	07-06-1995
EP 0574973	A	22-12-1993	EP 0574973 A1	22-12-1993
			AT 142428 T	15-09-1996
			DE 69304615 D1	17-10-1996
			DE 69304615 T2	20-02-1997
			DK 574973 T3	24-02-1997
			US 5464645 A	07-11-1995
EP 0384816	A	29-08-1990	JP 2219540 A	03-09-1990
			EP 0384816 A2	29-08-1990